

Facility Name _____	SAP ID #s. _____
Address _____	Other Reports _____
Co-City-Vic _____	No. Photos _____ No. Sketches _____
Mo/Day/Yr _____/_____/_____ Time _____ use 24 hr.	Ref. Dwgs. _____
Type of Disaster _____	Est. Damage % _____
	Facility Status <div style="border: 1px solid black; width: 150px; height: 30px; display: inline-block;"></div>

SAFETY INSTRUCTIONS: The possibility of toxic gases in confined spaces or of fuel leaks should be recognized as a potential hazard.

CAUTION: The primary purpose of the report is to advise of the condition of the facility for immediate continued use/occupancy. REINSPECTION OF THE FACILITY IS RECOMMENDED. AFTERSHOCKS MAY CAUSE DAMAGE THAT REQUIRES REINSPECTION. The conclusions reached by engineers who re-examine the facility later should take precedence. The assessment team will not render further advice in the event of conflict of engineering recommendations.

**A. CONDITION:**

Existing: None ☐ Recommended: Green ☐ Posted at this assessment: Yes ☐  
Green ☐ Yellow ☐ No ☐  
Yellow ☐ Red ☐  
Red ☐

**B. RECOMMENDATIONS**

Monitor _____ <input type="radio"/>	Continue in service _____ <input type="radio"/>
Remove from service _____ <input type="radio"/>	Install temp. above-ground line _____ <input type="radio"/>
Provide temporary alternate service _____ <input type="radio"/>	Check water quality/safety _____ <input type="radio"/>
Unblock entrance _____ <input type="radio"/>	Divert flow _____ <input type="radio"/>
_____	_____
_____	_____
_____	_____

**C. COMMENTS** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Facility Name \_\_\_\_\_ SAP ID #s \_\_\_\_\_

**D. PIPELINE DESCRIPTION**

Assessment Report # \_\_\_\_\_

1. Type of pipeline: Pressure ☐ Gravity ☐ Storm Drain ☐  
 Water ☐ San. Sewer ☐ Other ☐ \_\_\_\_\_

2. Pipe nominal diameter: \_\_\_\_\_ 3. Proximity to water/sewer/gas line: \_\_\_\_\_

	AC	CI	CMP	DI	PVC	RC	STEEL	VC	WI	Other	Unknown
Bell & Spigot											
Butt											
Caulked											
Comp. Ring											
Riveted											
Welded											
Unknown											

4. Describe the failure mode:

- ☐ Circumferential crack ☐ Pulled joint  
☐ Burst pipe barrel ☐ Broken joint  
☐ Sheared pipe barrel ☐ Other \_\_\_\_\_  
☐ Sheared service connection ☐ Liquefaction Describe \_\_\_\_\_

**DAMAGE OBSERVED (D.O.)**

Damage Scale: 0 1 2-3-4 5 6 NA NA  
 None Slight Moderate Severe Total Not Not  
 (0%) (1-10%) (11 - 40%) (41 - 60%) (over 60%) Applicable Observed

**SURFACE OBSERVATIONS**

- |                                   |                                    |
|-----------------------------------|------------------------------------|
| D.O.                              | D.O.                               |
| E. ____ Ground surface disturbed  | K. ____ Soffit damaged             |
| F. ____ Visible leakage           | L. ____ Invert displacement        |
| G. ____ Service connection broken | M. ____ Horizontal displacement    |
| H. ____ Headwall damaged          | N. ____ Trash-rack blocked/damaged |
| I. ____ Endwall damaged           | O. ____ Leakage at valves          |
| J. ____ Manhole damaged           | P. ____ Leakage continuing         |
|                                   | Q. ____ Leakage rates ____         |

Facility Name \_\_\_\_\_ SAP ID #s \_\_\_\_\_

R. Nearest valve/MH (if less than 1/4 mile) \_\_\_\_\_

S. Remarks

---

---

---

---